

APC UPS EASY BV 1000VA, AVR, 120V



Marca:

Código del producto: 1925, BV1000

Disponibilidad: In Stock

Peso: 0.00kg

Dimensiones: 0.00cm x 0.00cm x 0.00cm

Short Description

UPS de mejor valor con respaldo de batería y protección contra sobretensiones para equipos electrónicos y computadoras

Descripción

Output

Output power capacity

600Watts / 1.0kVA

Max Configurable Power (Watts)

600Watts / 1.0kVA

Nominal Output Voltage

120V

Output Frequency (not synced)

50/60 Hz +/-1 Hz

Topology

Line Interactive

Waveform type

Stepped approximation to a sinewave

Output Connections

(6) NEMA 5-15R (Battery Backup)

Transfer Time

6ms typical : 10ms maximum

Input

Nominal Input Voltage

120V

Input frequency

50/60 Hz +/- 5 Hz (auto sensing)

Input Connections

NEMA 5-15P

Cord Length

1.52meters

Number of Power Cords

1

Batteries & Runtime

Battery type

Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof

Expected Battery Life (years)

3 - 5

Efficiency

[View Efficiency Graph](#)

Communications & Management

Control panel

LED Status display with On Line : On Battery

Audible Alarm

Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm

Physical

Maximum Height

92MM, 9.25CM

Maximum Width

161MM, 16.1CM

Maximum Depth

305MM, 30.5CM

Net Weight

5.7KG

Shipping weight

6.0KG

Shipping Height

237MM, 23.7CM

Shipping Width

143MM, 14.3CM

Shipping Depth

373MM, 37.3CM

Environmental

Operating Temperature

0 - 40 °C

Operating Relative Humidity

0 - 90 %

Operating Elevation

0-1968.3meters

Audible noise at 1 meter from surface of unit

40.0dBA

Conformance

Approvals

CE

Sustainable Offer Status

RoHS

Compliant

REACH

REACH: Contains No SVHCs