

AF-5X airFiber 500Mbps+ Backhaul, 5.1-5.8GHz



Marca: Ubiquiti

Código del producto: 1213, AF5X

Disponibilidad: In Stock

Peso: 0.00kg

Dimensiones: 0.00cm x 0.00cm x 0.00cm

Short Description

Specifications

RF Connectors

2 x RP-SMA Weatherproof (CH0, CH1)

1 x SMA Weatherproof (GPS)

GPS Antenna

External, Magnetic Base

Power Supply

24 V, 1 A PoE Gigabit Adapter (included)

Power Method

Passive Power over Ethernet

Mounting

airFiber X Mount (Rocket Mount compatible)

GPS Pole Mount (included)

Certifications

DFS Certified

FCC Part 15.407

CE EN 302502 v1.2.1, EN 301 893 v1.7.1

Descripción

Specifications

RF Connectors

2 x RP-SMA Weatherproof (CH0, CH1)

1 x SMA Weatherproof (GPS)

GPS Antenna

External, Magnetic Base

Power Supply

24 V, 1 A PoE Gigabit Adapter (included)

Power Method	Passive Power over Ethernet
Mounting	airFiber X Mount (Rocket Mount compatible) GPS Pole Mount (included)
Certifications	DFS Certified FCC Part 15.407 CE EN 302502 v1.2.1, EN 301 893 v1.7.1
Networking Interfaces	
Data Port	1 x 10/100/1000 Ethernet Port
Management Port	1 x 10/100 Ethernet Port
System	
Processor	INVICTUS IC
Maximum Throughput	500+ Mbps
Maximum Range	656,168' / 200,000 m
Encryption	128-bit AES
Operating System	airOS F
Wireless Modes	Master/Slave
Radio Frequencies	
Operating Frequency	5,150 - 5,925 MHz (dependent on regulatory region)
Frequency Accuracy	± 2.5 ppm without GPS synchronization ± 0.2 ppm with GPS synchronization
Channel Bandwidth	10/20/30/40/50 MHz selectable Programmable uplink and downlink duty cycles
Environmental	
Operating Temperature	-40 to 131°F / -40 to 55°C
Dimensions & Weight	
Dimensions	8.82 x 3.32 x 1.89" / 224.03 x 84.33 x 48.01 mm
Weight	0.77 lb / 0.35 kg

