

UTEPO, 16 FE port PoE Switch unmanaged 2 GIGA 1 SFP 250m



Marca:

Código del producto: 1686,
UTP3-SW16-TP300

Disponibilidad: In Stock

Peso: 0.00kg

Dimensiones: 0.00cm x 0.00cm x 0.00cm

Short Description

This item is a 16-port managed PoE Ethernet switch, which provides 16*100Mbps downlink PoE Ethernet ports, supports IEEE802.3 af/at and 2*1000Mbps uplink Ethernet ports. It supports Layer 2 network management and PoE management based on web and provides high-speed data forwarding. It is widely used in security surveillance, network engineering projects and so on.

Descripción

Model Number

UTP3-SW16-TP300

Downstream Ports

16* 10/100BASE-TX(PoE)

Uplink Ports

2*10/100/1000BASE-T

Network Standard

IEEE802.3

?IEEE802.3u?IEEE802.3ab?IEEE802.3X?

IEEE 802.1Q IEEE 802.1p IEEE 802.3ad

? IEEE 802.1D?IEEE 802.1X

Switch Capacity

7.2Gbps

Throughput

5.3Mpps

Switch Processing Scheme

Store and Forward

MAC Table

16K

PoE Standard

802.3af/at (PSE)

PsE Type

End-span

Power Pin Assignment

1/2(+)?3/6(-)

PoE Power Output

54V DC , 30 watts max

PoE Budge	270 watts max
Lightning protection	6KV Execute?IEC61000-4-5
ESD	6KV Contact discharge
	8KV Air discharge
	Execute?IEC61000-4-2
Power Supply	100~240V AC?50/60Hz
Power Dissipation	?300W(Including PoE)
Work temperature	-10?~55?
Storage temperature	-40?~85?
Humidity(Non-condensin)	5%-95%
Dimension?L×W×H?	442mm×207mm×44.5mm
Weight	2.69kg
Regulator	CE?FCC?ROHS
Quality of Service	Support QoS Congestion Management
	Support 8 priority queues
	Queue scheduling: SP, WRR, SP+WRR
	Support 802.1p CoS/DSCP priority
Multicast Management	Support SNMPV1 / V2 / V3 protocols
	Support IGMP Snooping
POE management	Support Total Power Control
	Support PoE On Off
	Support single-port 30W output?Output port and priority
Security Features	Supports IP, MAC, port, VLAN binding combinations
	Support MAC address auto-learning, aging and filtration
	Support port isolation, port speed limit
	Support RSTP
	Support 5 groups of link aggregation
	Support 802.1X
System Management	Web-based GUI and CLI management
	Support FTP / TFTP / HTTP load upgrade
	Support traffic statistics
	Support MAC address table query
	Support IP address, DNS server modifications
	Support user name and password modification
	Support for history, log management

Support System Configuration Backup
Support to recover the default factory
settings on reboot