

UTEPO, 16 Ports PoE Full Gigabit Managed Switch 2 SFP 2 GIGA



Marca:

Código del producto: 1685, UTP7516GE-PoE-A 1

Disponibilidad: In Stock

Peso: 0.00kg

Dimensiones: 0.00cm x 0.00cm x 0.00cm

Short Description

The 16 ports PoE full Gigabit managed Ethernet switch, which provide 16* PoE Gigabit downlink Ethernet ports , 2* Gigabit uplink optical fiber ports and 2* Gigabit uplink Ethernet ports. The Products support IEEE 802.3 af/at ,support Web layer-2 network management and PoE management. Products are widely used in security surveillance, network engineering projects and so on.

Descripción

Model Number

UTP7516GE-POE-A1

Downstream Ports

16* 10/100/1000Base-T(PoE)

Uplink Ports

2*1000Mbps SFP Port and

2*10/100/1000Base-T

Network Standard

IEEE802.3 ?IEEE802.3u?IEEE802.3ab?IEEE802.3Z?IEEE802.3X? IEEE 802.1Q
IEEE 802.1p IEEE 802.3ad ? IEEE 802.1D?IEEE 802.1X

Switch Capacity

40Gbps

Throughput

30Mpps

Switch Processing Scheme

Store and Forward

Memory Buffer

12M

MAC Table

16K

PoE Standard

802.3af/at(PSE)

PsE Type

End-span

Power Pin Assignment**PoE Power Output****PoE Budge****Lightning protection****ESD**

1/2(+)?3/6(-)

54V DC , 30 watts max

270 watts max

6KV Execute?IEC61000-4-5

6KV Contact discharge

8KV Air discharge

Execute?IEC61000-4-2

Power Supply**Power Dissipation****Work temperature****Storage temperature****Humidity(Non-condensin)****Dimension?L×W×H?****Weight****Regulator**

100~240V AC?50/60Hz

?320W(Including PoE)

-10?~50?

-40?~85?

5%-95%

442mm×305mm×44.5mm

4.35kg

CE?FCC?ROHS

Software Features ?**Port Management**

Support port enabling and disabling

Support port speed settings

Support port full-duplex mode

Support IEEE802.3x flow control

Support port name modification

VLAN

Support of 4K VLAN

supports 802.1Q VLAN protocol

Support VLAN based on port

Quality of Service

Support QoS Congestion Management

Support 8 priority queues

Queue scheduling: SP, WRR, SP+WRR

Support 802.1p CoS/DSCP priority

Multicast Management

Support SNMPV1 / V2 / V3 protocols

Support IGMP Snooping

POE management

Support Total Power Control

Support PoE On Off

Support single-port 30W output?Output port and priority

Security Features

Supports IP, MAC, port, VLAN binding combinations

Support MAC address auto-learning, aging and filtration

System Management

Support port isolation, port speed limit

Support RSTP

Support 5 groups of link aggregation

Support 802.1X

Web-based GUI and CLI management

Support FTP / TFTP / HTTP load upgrade

Support traffic statistics

Support MAC address table query

Support IP address, DNS server
modifications

Support user name and password
modification

Support for history, log management

Support System Configuration Backup

Support to recover the default factory
settings on reboot